



EQUIPMENT
and
ACCESSORIES

Catalogue

DUROCEM ITALIA S.p.A.



42010 Cavola (RE) • Italy • Via Roma, 9 • Tel. +39.0522.806521 • Fax +39.0522.806260 • www.durocem.it • durocem@durocem.it
Reg. Imp. di RE 01290170354 • C.F. / P. I. 01290170354 • Cap. Soc. i.v. € 100.000 • R.E.A. di RE 174332

POWER TROWEL

MODEL: **MOSKITO 60**



- Ø 600 FLOATING DISK
- FOLDABLE HANDLE
- 4 + 6 BLADES



MODEL FOR FLOATING



ELECTRIC ENGINE MODEL

ITEM	ENGINE	POWER HP/CV	POWER SOURCE	BLADES	KG.	
3000	HONDA	4	GASOLINE	4	48	
3005	HONDA	5.5	GASOLINE	4	50	
3010	ROBIN	3.5	GASOLINE	4	48	
3015	ELECTRIC	3	1~230V 50/60 Hz	4	53	
3020	HONDA	4	GASOLINE	6	52	
3025	ROBIN	3.5	GASOLINE	6	52	
3030	ELECTRIC	3	1~230V 50/60 Hz	6	57	
3035	HONDA	4	GASOLINE	-	45	MODELS FOR FLOATING
3040	HONDA	5.5	GASOLINE	-	47	

FLOATING DISK
(MOSKITO 4 BLADES)



FLOATING DISK
(MOSKITO 6 BLADES)



FLOATING DISK
(MOSKITO FOR FLOATING)



FINISHING BLADE



POWER TROWEL

MODEL: **MOSKITO 75**



- Ø 750 FLOATING DISK
- FOLDABLE HANDLE
- 4 + 6 BLADES



ELECTRIC ENGINE MODEL

ITEM	ENGINE	POWER HP/CV	POWER SOURCE	BLADES	KG.
3050	HONDA	4	GASOLINE	4	53
3055	HONDA	5.5	GASOLINE	4	55
3060	ROBIN	3.5	GASOLINE	4	55
3065	ROBIN	6	GASOLINE	4	60
3070	ELECTRIC	3	1~230V 50/60 Hz	4	57
3075	HONDA	4	GASOLINE	6	58
3080	HONDA	5.5	GASOLINE	6	60
3085	ROBIN	5	GASOLINE	6	60
3090	ELECTRIC	3	1~230V 50/60 Hz	6	65

FLOATING DISK



FINISHING BLADE




POWER TROWEL

MODEL: **4-90** (SINGLE)



- CLOSED PROTECTION CAGE Ø 900
- STIFF HANDLE MM 1320
- 4 BLADES



ELECTRIC ENGINE MODEL

ITEM	ENGINE	POWER HP/CV	POWER SOURCE	BLADES	KG.
3100	HONDA	5.5	GASOLINE	4	75
3105	HONDA	9	GASOLINE	4	87
3110	ROBIN	5	GASOLINE	4	79
3115	ROBIN	6	GASOLINE	4	80
3120	ELECTRIC	4.5	3~400V 50/60 Hz - 2 SPEEDS	4	83
3125	HATZ	4.6	DIESEL	4	104

LONG STIFF HANDLE
MM 1620




ADD L

FOLDABLE ADJUSTABLE HANDLE
MM 1620



ADD P

OPENING PROTECTION CAGE
Ø 900



ADD A

CENTRIFUGAL STOP
(GASOLINE ENGINES ONLY)



ADD C

HEAVY DUTY CLUTCH



ADD F

LIFTING HOOK



ADD G

NOTE: TO ORDER TROWEL 4-90 WITH OPTIONAL ACCESSORIES, PLEASE ADD LETTER OF THE ACCESSORIES TO ITEM CODE.
EXAMPLE: THE ITEM CODE OF TROWEL 4-90 (ITEM 3110) WITH OPENING PROTECTION CAGE WILL BE 3110A.
IF ALSO THE FOLDABLE HANDLE IS ADDED, IT WILL BE 3110AP.


FLOATING DISK Ø 900 (SEE PAGE 21) - BLADES AND TROWELS (SEE PAGE 22)

POWER TROWEL

MODEL: **4-120** (SINGLE)



- CLOSED PROTECTION CAGE Ø 1200
- STIFF HANDLE MM 1320
- 4 BLADES



ELECTRIC ENGINE MODEL

ITEM	ENGINE	POWER HP/CV	POWER SOURCE	BLADES	KG.
3150	ACME	11	GASOLINE	4	102
3155	HONDA	9	GASOLINE	4	98
3160	HONDA	11	GASOLINE	4	106
3165	HONDA	13	GASOLINE	4	106
3170	B&S VANGUARD	14	GASOLINE	4	109
3175	ROBIN	7	GASOLINE	4	87
3180	ROBIN	9	GASOLINE	4	92
3185	ELECTRIC	5.5	3~400V 50/60 Hz - 2 SPEEDS	4	91
3190	LOMBARDINI	7.5	DIESEL	4	112
3195	LOMBARDINI	10	DIESEL	4	114
3200	HATZ	7	DIESEL	4	126

LONG STIFF HANDLE
MM 1620




ADD L

FOLDABLE ADJUSTABLE HANDLE
MM 1620



ADD P

OPENING PROTECTION CAGE
Ø 1200



ADD A

CENTRIFUGAL STOP



ADD C

GASOLINE
ENGINES ONLY

HEAVY DUTY CLUTCH



ADD F

STABILIZING RING



ADD S

LIFTING HOOK



ADD G

NOTE: TO ORDER TROWEL 4-120 WITH OPTIONAL ACCESSORIES, PLEASE ADD LETTER OF THE ACCESSORIES TO ITEM CODE.


EXAMPLE: THE ITEM CODE OF TROWEL 4-120 (ITEM 3170) WITH OPENING PROTECTION CAGE WILL BE 3170A. IF ALSO THE LONG HANDLE IS ADDED, IT WILL BE 3170AL

FLOATING DISK Ø 1200 (SEE PAGE 21) - BLADES AND TROWELS (SEE PAGE 22)

POWER TROWEL


MODEL: **OL 90** (DOUBLE-OVERLAPPER)



- 2 ROTORS Ø 900 EACH
- 8 CROSSED BLADES - 
- WORKING SURFACE = 1760 MM.
- WATER TANK, FLOODLIGHTS, BATTERY AND 2 PACKAGES OF FLOATING BLADES
- 2 LIFTING HANDLES

ITEM	ENGINE	POWER HP/CV	POWER SOURCE	BLADES	KG.	START-UP
3220	KOHLER	18	GASOLINE	8	240	ELECTRIC / MANUAL
3225	B&S VANGUARD	18	GASOLINE	8	235	ELECTRIC / MANUAL
3230	ROBIN	18	GASOLINE	8	248	ELECTRIC
3235	HONDA	20	GASOLINE	8	243	ELECTRIC

PROTECTION FRAME, OPENS ON BOTH SIDES



ADD A

SLIDING TROLLEY



ITEM 3247

TO ORDER TROWEL **OL 90** WITH OPENING PROTECTION FRAME, PLEASE ADD LETTER **A** TO ITEM CODE

FINISHING BLADE



COMBINATION BLADE




FLOATING BLADE



POWER TROWEL


MODEL: **MK8-90** (DOUBLE)



- 2 ROTORS Ø 900 EACH
- 8 SEPARATE BLADES - 
- WORKING SURFACE = 1940 MM.
- WATER TANK, FLOODLIGHTS, BATTERY AND 2 PACKAGES OF FLOATING BLADES
- 2 Ø 900 TROWELING DISKS MAY BE APPLIED

ITEM	ENGINE	POWER HP/CV	POWER SOURCE	BLADES	KG.	START-UP
3250	KOHLER	20	GASOLINE	8	280	ELECTRIC
3255	KOHLER	25	GASOLINE	8	285	ELECTRIC
3260	HONDA	20	GASOLINE	8	283	ELECTRIC
3265	HONDA	24	GASOLINE	8	284	ELECTRIC
3270	RUGGERINI	19.5	DIESEL	8	314	ELECTRIC

PROTECTION FRAME, OPENS ON BOTH SIDES



ADD A

FLOATING DISK



ITEM 4120

SLIDING TROLLEY



ITEM 3277

TO ORDER TROWEL **MK 8-90** WITH OPENING PROTECTION FRAME, PLEASE ADD LETTER **A** TO ITEM CODE

FINISHING BLADE



COMBINATION BLADE





FLOATING BLADE



POWER TROWEL


MODEL: **OL 120** (DOUBLE-OVERLAPPER)



- 2 ROTORS Ø 1200 EACH
- 8 CROSSED BLADES - 
- WORKING SURFACE = 2140 MM.
- WATER TANK, FLOODLIGHTS, BATTERY AND 2 PACKAGES OF FLOATING BLADES

ITEM	ENGINE	POWER HP/CV	POWER SOURCE	BLADES	KG.	START-UP
3280	KOHLER	20	GASOLINE	8	291	ELECTRIC
3285	KOHLER	25	GASOLINE	8	292	ELECTRIC
3290	HONDA	20	GASOLINE	8	290	ELECTRIC
3295	HONDA	24	GASOLINE	8	291	ELECTRIC
3300	RUGGERINI	19.5	DIESEL	8	320	ELECTRIC

PROTECTION FRAME, OPENS ON BOTH SIDES



ADD A

SLIDING TROLLEY



ITEM 3317

TO ORDER TROWEL **OL 120** WITH OPENING PROTECTION FRAME, PLEASE ADD LETTER **A** TO ITEM CODE

FINISHING BLADE



COMBINATION BLADE




FLOATING BLADE



POWER TROWEL

MODEL: MK8-90 HCS - HYDRAULIC CONTROL



- HYDRAULIC JOYSTICK-DRIVEN CONTROL SYSTEM
- 2 ROTORS Ø 900 EACH
- 8 SEPARATE BLADES - 
- WORKING SURFACE = 1940 MM.
- WATER TANK, FLOODLIGHTS, BATTERY AND 2 PACKAGES OF FLOATING BLADES
- 2 Ø 900 TROWELING DISKS MAY BE APPLIED
- ERGONOMIC SEAT WITH SPRING

ON DEMAND:

- PROTECTION FRAME, OPENS ON BOTH SIDES (SEE PAGE 8)
- PLEASE ADD LETTER "A" WHEN ORDERING

ITEM	ENGINE	POWER HP/CV	POWER SOURCE	BLADES	KG.	START-UP
3320	KOHLER	20	GASOLINE	8	357	ELECTRIC
3325	KOHLER	25	GASOLINE	8	358	ELECTRIC
3330	HONDA	20	GASOLINE	8	360	ELECTRIC
3335	HONDA	24	GASOLINE	8	362	ELECTRIC
3340	RUGGERINI	19.5	DIESEL	8	390	ELECTRIC

MODEL: MK8-120 HCS - HYDRAULIC CONTROL




- HYDRAULIC JOYSTICK-DRIVEN CONTROL SYSTEM
- 2 ROTORS Ø 1200 EACH
- 8 SEPARATE BLADES - 
- WORKING SURFACE = 2540 MM.
- WATER TANK, FLOODLIGHTS, BATTERY AND 2 PACKAGES OF FLOATING BLADES
- 2 Ø 1200 TROWELING DISKS MAY BE APPLIED
- ERGONOMIC SEAT WITH SPRING
- OPENING PROTECTION FRAME

ITEM	ENGINE	POWER HP/CV	POWER SOURCE	BLADES	KG.	START-UP
3350	KOHLER	27	GASOLINE	8	375	ELECTRIC

MODEL: MK8-120 - MANUAL CONTROL



- MANUAL LEVER-DRIVEN SYSTEM
- 2 ROTORS Ø 1200 EACH
- 8 SEPARATE BLADES - 
- WORKING SURFACE = 2540 MM.
- WATER TANK, FLOODLIGHTS, BATTERY AND 2 PACKAGES OF FLOATING BLADES
- 2 Ø 1200 TROWELING DISKS MAY BE APPLIED
- OPENING PROTECTION FRAME

ITEM	ENGINE	POWER HP/CV	POWER SOURCE	BLADES	KG.	START-UP
3355	KOHLER	27	GASOLINE	8	300	ELECTRIC

POWER TROWEL

MODEL: OL 120 HCS - HYDRAULIC CONTROL



- HYDRAULIC JOYSTICK-DRIVEN CONTROL SYSTEM
- 2 ROTORS Ø 1200 EACH
- 8 CROSSED BLADES - 
- WORKING SURFACE = 2140 MM.
- WATER TANK, FLOODLIGHTS, BATTERY AND 2 PACKAGES OF FLOATING BLADES
- ERGONOMIC SEAT WITH SPRING

ON DEMAND:

- PROTECTION FRAME, OPENS ON BOTH SIDES (SEE PAGE 8)
- PLEASE ADD LETTER "A" WHEN ORDERING

ITEM	ENGINE	POWER HP/CV	POWER SOURCE	BLADES	KG.	START-UP
3360	KOHLER	20	GASOLINE	8	368	ELECTRIC
3365	KOHLER	25	GASOLINE	8	369	ELECTRIC
3370	HONDA	20	GASOLINE	8	366	ELECTRIC
3375	HONDA	24	GASOLINE	8	377	ELECTRIC
3380	RUGGERINI	19.5	DIESEL	8	397	ELECTRIC

SLIDING TROLLEY



ITEM 3317

FINISHING BLADE



COMBINATION BLADE



FLOATING BLADE



ACCESSORIES FOR:

- MK8-90 HCS
- MK8-120 HCS
- MK8-120

FLOATING DISK



ITEM 4120

FLOATING DISK



ITEM 4125

SLIDING TROLLEY



ITEM 3277 (MK8-90 HCS)
ITEM 3317 (MK8-120)

FINISHING BLADE



COMBINATION BLADE



FLOATING BLADE



SPREADER

BR 100 SPREADER

- MANUAL PREMIXED QUARTZ SPREADING MACHINE
- 90 + 100 KG LOADING CAPACITY
- 65 KG TARE WEIGHT
- DOSIFIER KG/ M²



ITEM 3400

BR 60 SPREADER

- MANUAL PREMIXED QUARTZ SPREADING MACHINE
- 50 + 60 KG LOADING CAPACITY
- 45 KG TARE WEIGHT
- DOSIFIER KG/M²



ITEM 3405

CONCRETE CUTTER

MODEL: FLOOR 5

- CONCRETE FLOOR DEEP CUTTER
- USES DIAMOND DISK Ø 300 - Ø 350
- MANUAL CONTROL
- 40 LITER STEEL WATER TANK
- MANUALLY ADJUSTABLE CUTTING DEPTH WITH SCREW AND NUT



ITEM	ENGINE	POWER HP/CV	POWER SOURCE	KG.	START-UP
3420	HONDA	9	GASOLINE	118	MANUAL
3425	HONDA	13	GASOLINE	124	MANUAL

CONCRETE CUTTER

MODEL: **FLOOR 10**



- CONCRETE FLOOR DEEP CUTTER
- USES DIAMOND DISK Ø 300 - Ø 350 - Ø 400 - Ø 450
- MANUAL CONTROL
- 70 LITER STEEL WATER TANK
- MANUALLY ADJUSTABLE CUTTING DEPTH WITH SCREW AND NUT

ITEM	ENGINE	POWER HP/CV	POWER SOURCE	KG.	START-UP
3440	HONDA	11	GASOLINE	179	MANUAL
3445	HONDA	13	GASOLINE	180	MANUAL
3450	HONDA	20	GASOLINE	192	ELECTRIC
3455	B&S VANGUARD	18	GASOLINE	187	ELECTRIC / MANUAL
3460	B&S VANGUARD	18	GASOLINE	188	MANUAL
3465	KOHLER	18	GASOLINE	192	ELECTRIC / MANUAL
3470	KOHLER	20	GASOLINE	194	ELECTRIC
3475	HATZ	10	DIESEL	200	MANUAL
3480	LOMBARDINI	7.5	DIESEL	185	MANUAL
3485	LOMBARDINI	10	DIESEL	187	MANUAL

SECOND DISK ON DEMAND

HYDRAULIC CUTTING DEPTH
ADJUSTMENT WITH MANUAL LEVER



ADD **HM**

HYDRAULIC CUTTING DEPTH
ADJUSTMENT WITH ELECTRIC PUMP



ADD **HE**

DIAMOND DISK



NOTE: TO ORDER CONCRETE CUTTER **FLOOR 10** WITH MANUAL OR ELECTRIC HYDRAULIC DISK LIFTING, PLEASE ADD **HM** OR **HE** TO ITEM CODE

CONCRETE CUTTER

MODEL: **FLOOR 20**



- CONCRETE FLOOR DEEP CUTTER
- USES DIAMOND DISK Ø 300 - Ø 350 - Ø 400 - Ø 450
- MANUAL CONTROL
- 80 LITER STEEL WATER TANK
- MANUALLY ADJUSTABLE CUTTING DEPTH WITH SCREW AND NUT

ITEM	ENGINE	POWER HP/CV	POWER SOURCE	KG.	START-UP
3500	HONDA	20	GASOLINE	218	ELECTRIC
3505	HONDA	24	GASOLINE	219	ELECTRIC
3510	KOHLER	20	GASOLINE	220	ELECTRIC
3515	KOHLER	25	GASOLINE	222	ELECTRIC
3520	LOMBARDINI	18	DIESEL	276	ELECTRIC

SECOND DISK ON DEMAND

HYDRAULIC CUTTING DEPTH
ADJUSTMENT WITH MANUAL LEVER



ADD **HM**

HYDRAULIC CUTTING DEPTH
ADJUSTMENT WITH ELECTRIC PUMP



ADD **HE**

DIAMOND DISK



NOTE: TO ORDER CONCRETE CUTTER **FLOOR 20** WITH MANUAL OR ELECTRIC HYDRAULIC DISK LIFTING PLEASE ADD **HM** OR **HE** TO ITEM CODE

CONCRETE CUTTER

MODEL: FLOOR 30



- CONCRETE FLOOR DEEP CUTTER
- USES DIAMOND DISK Ø 300 - Ø 350 - Ø 400 - Ø 450
- MANUAL CONTROL
- 90 LITER STEEL WATER TANK
- HYDRAULIC CUTTING DEPTH ADJUSTMENT WITH MANUAL LEVER

ITEM	ENGINE	POWER HP/CV	POWER SOURCE	KG.	START-UP
3530	LOMBARDINI	28	DIESEL	326	ELECTRIC



HYDRAULIC CUTTING DEPTH ADJUSTMENT WITH ELECTRIC PUMP

ADD HE

DIAMOND DISK



NOTE: TO ORDER CONCRETE CUTTER **FLOOR 30** WITH ELECTRIC HYDRAULIC DISK LIFTING, PLEASE ADD **HE** TO ITEM CODE.

MODEL: FLOOR 45



- CONCRETE AND ASPHALT FLOOR DEEP CUTTER
- USES DIAMOND DISK Ø 600 - Ø 650
- WATER TANK ON DEMAND
- AUTOMATIC CONTROL WITH REVERSE, HYDROSTATIC SPEED VARIATOR, ADJUSTABLE TO CUTTING DEPTH
- HYDRAULIC CUTTING DEPTH ADJUSTMENT WITH ELECTRIC PUMP

ITEM	ENGINE	POWER HP/CV	POWER SOURCE	KG.	START-UP
3535	LOMBARDINI 11LD625-3	38	DIESEL	445	ELECTRIC (100 Amp BATTERY)

CONCRETE CUTTER

MODEL: ASPHALT 20



- CONCRETE AND ASPHALT FLOOR DEEP CUTTER
- USES DIAMOND DISK Ø 300 - Ø 350 - Ø 400 - Ø 450
- 80 LITER WATER TANK
- AUTOMATIC CONTROL WITH REVERSE, HYDROSTATIC SPEED VARIATOR, ADJUSTABLE TO CUTTING DEPTH
- HYDRAULIC CUTTING DEPTH ADJUSTMENT WITH MANUAL LEVER

ITEM	ENGINE	POWER HP/CV	POWER SOURCE	KG.	START-UP
3540	KOHLER	25	GASOLINE	231	ELECTRIC
3545	LOMBARDINI	18	DIESEL	285	ELECTRIC

SECOND DISK ON DEMAND

MODEL: ASPHALT 30



- CONCRETE AND ASPHALT FLOOR DEEP CUTTER
- USES DIAMOND DISK DA Ø 300 A Ø 600
- 100 LITER WATER TANK
- AUTOMATIC CONTROL WITH REVERSE, HYDROSTATIC SPEED VARIATOR, ADJUSTABLE TO CUTTING DEPTH
- HYDRAULIC CUTTING DEPTH ADJUSTMENT WITH MANUAL LEVER

ITEM	ENGINE	POWER HP/CV	POWER SOURCE	KG.	START-UP
3555	LOMBARDINI	28	DIESEL	347	ELECTRIC

SECOND DISK ON DEMAND

NOTE: TO ORDER CONCRETE AND ASPHALT CUTTER ASPHALT 20 - 30 WITH ELECTRIC HYDRAULIC DISK LIFTING, PLEASE ADD HE TO ITEM CODE.

DIAMOND DISK

HIGH QUALITY FOR FRESH CONCRETE

ITEM	DESCRIPTION	DIMENSION	THICKNESS	HOLE
4050	DIAMOND DISK	Ø 300 MM	2,8 MM	25,4 MM
4051	DIAMOND DISK	Ø 350 MM	2,8 MM	25,4 MM
4053	DIAMOND DISK	Ø 350 MM	3,2 MM	25,4 MM
4087	DIAMOND DISK	Ø 300 MM	2,8 MM	30* MM
4088	DIAMOND DISK	Ø 350 MM	2,8 MM	30* MM
4089	DIAMOND DISK	Ø 350 MM	3,2 MM	30* MM

MEDIUM QUALITY FOR FRESH CONCRETE

ITEM	DESCRIPTION	DIMENSION	THICKNESS	HOLE
4052	DIAMOND DISK	Ø 300 MM	2,8 MM	25,4 MM
4054	DIAMOND DISK	Ø 350 MM	2,8 MM	25,4 MM
4056	DIAMOND DISK	Ø 350 MM	3,2 MM	25,4 MM
4085	DIAMOND DISK	Ø 300 MM	2,8 MM	30* MM
4086	DIAMOND DISK	Ø 350 MM	2,8 MM	30* MM
4055	DIAMOND DISK	Ø 350 MM	3,2 MM	30* MM


WINTER HIGH QUALITY FOR FRESH CONCRETE

ITEM	DESCRIPTION	DIMENSION	THICKNESS	HOLE
4057	DIAMOND DISK	Ø 300 MM	2,5 MM	30* MM
4058	DIAMOND DISK	Ø 300 MM	2,8 MM	30* MM
4059	DIAMOND DISK	Ø 350 MM	2,8 MM	30* MM
4060	DIAMOND DISK	Ø 350 MM	3,2 MM	30* MM

WINTER FOR DRY CONCRETE

ITEM	DESCRIPTION	DIMENSION	HOLE
4080	DIAMOND DISK	Ø 350 MM	30* MM
4062	DIAMOND DISK	Ø 400 MM	30* MM
4064	DIAMOND DISK	Ø 450 MM	30* MM

* with reduction to 25,4 mm



COMPACTOR

ITEM				
3600	BR 60	KG 60	ENGINE: HONDA	4 HP
3605	BR 60	KG 60	ENGINE: ROBIN	3.5 HP
3610	BR 80 Y	KG 80	ENGINE: HONDA	5.5 HP
3615	BR 80 Y	KG 80	ENGINE: ROBIN	5.5 HP



RAMMER COMPACTOR

ITEM	
3625	KG. 90 - ENGINE YANMAR
3630	KG. 90 - ENGINE ROBIN



SHEATH-LAYING TROLLEY

ITEM
3650




SEALING SHEATH

ITEM			
3660	GRAY SHEATH		
3662	BLACK SHEATH	PVC	3.5 MM THICK
3664	GRAY SHEATH		
3666	BLACK SHEATH	PVC	3.8 MM THICK
3668	GRAY SHEATH		
3670	BLACK SHEATH	PVC	4.0 MM THICK
3672	GRAY SHEATH		
3674	BLACK SHEATH	PVC	4.2 MM THICK
3676	GRAY SHEATH		
3678	BLACK SHEATH	PVC	4.6 MM THICK
3680	GRAY SHEATH		
3682	BLACK SHEATH	PVC	4.8 MM THICK
3684	GRAY SHEATH		
3686	BLACK SHEATH	PVC	5.0 MM THICK
3688	GRAY SHEATH		
3690	BLACK SHEATH	PVC	5.2 MM THICK
3692	GRAY SHEATH		
3694	BLACK SHEATH	PVC	5.5 MM THICK
3696	GRAY SHEATH		
3698	BLACK SHEATH	PVC	6.0 MM THICK

VIBRATING SCREED

MODEL WITH 1 HANDLE - "OSCILLATING"



- WEIGHT: FROM 16 TO 19 KG WITH HONDA ENGINE
FROM 14 TO 17 KG WITH ELECTRIC ENGINE
- HANDLE LENGHT: MT 2

ITEM	ENGINE	POWER HP/CV	POWER SOURCE	CENTRIFUGAL POWER	SCREED LENGHT MT	VIBRATIONS PER MINUTE
4480	HONDA 4 STROKE	1	GASOLINE	150 KP	2	TILL 10000
4482	HONDA 4 STROKE	1	GASOLINE	150 KP	2,5	TILL 10000
4484	HONDA 4 STROKE	1	GASOLINE	150 KP	3	TILL 10000
4486	ELECTRIC	-	220V	100 KP	2	TILL 3000
4490	ELECTRIC	-	220V	100 KP	2,5	TILL 3000
4492	ELECTRIC	-	220V	100 KP	3	TILL 3000

MODEL WITH 2 HANDLES - "FIXED"




- WEIGHT: FROM 17 TO 20 KG WITH HONDA ENGINE
FROM 16 TO 19 KG WITH ELECTRIC ENGINE
- HANDLE LENGHT: MT 1,5

ITEM	ENGINE	POWER HP/CV	POWER SOURCE	CENTRIFUGAL POWER	SCREED LENGHT MT	VIBRATIONS PER MINUTE
4494	ELECTRIC	-	220V	100 KP	1,5	TILL 3000
4496	ELECTRIC	-	220V	100 KP	2	TILL 3000
4498	ELECTRIC	-	220V	100 KP	2,5	TILL 3000
4500	ELECTRIC	-	220V	100 KP	3	TILL 3000
4502	HONDA 4 STROKE	1	GASOLINE	150 KP	1,5	TILL 10000
4504	HONDA 4 STROKE	1	GASOLINE	150 KP	2	TILL 10000
4506	HONDA 4 STROKE	1	GASOLINE	150 KP	2,5	TILL 10000
4508	HONDA 4 STROKE	1	GASOLINE	150 KP	3	TILL 10000



BIG BLUE FLOAT

ITEM	
3750	1.20 METER BIG BLUE FLOAT WITH ARTICULATED JOINT AND 1.80 METER HANDLE
3755	1.50 METER BIG BLUE FLOAT WITH ARTICULATED JOINT AND 1.80 METER HANDLE
3760	1.80 METER BIG BLUE FLOAT WITH ARTICULATED JOINT AND 1.80 METER HANDLE




BULL FLOAT WITH STRAIGHTE EDGE

ITEM	
3765	ULTRALIGHT BULLFLOAT WITH ARTICULATED JOINT AND HANDLE - MM 900 X 200
3770	ULTRALIGHT BULLFLOAT WITH ARTICULATED JOINT AND HANDLE - MM 1200 X 200
3775	ULTRALIGHT BULLFLOAT WITH ARTICULATED JOINT AND HANDLE - MM 1500 X 200




BULL FLOAT WITH ROUND EDGE

ITEM	
3780	ULTRALIGHT BULLFLOAT WITH ARTICULATED JOINT AND HANDLE - MM 900 X 200
3785	ULTRALIGHT BULLFLOAT WITH ARTICULATED JOINT AND HANDLE - MM 1200 X 200
3790	ULTRALIGHT BULLFLOAT WITH ARTICULATED JOINT AND HANDLE - MM 1500 X 200



BULL FLOAT WITH SIDE CLAMPS

ITEM		
3795	WITH ARTICULATED JOINT AND 1.80 METER HANDLE	MM 1850 X 200
3800	WITH ARTICULATED JOINT AND 1.80 METER HANDLE	MM 2450 X 200



ADAPTER KIT WITH BROOM

ITEM		
3805	ADAPTER KIT WITH BROOM	MM 900 X 200
3810	ADAPTER KIT WITH BROOM	MM 1200 X 200
3815	ADAPTER KIT WITH BROOM	MM 1500 X 200



HANDLE

LENGTH MT. 1.80

ITEM
3820



JOINT

ITEM
3825



ULTRALIGHT SCREED

ITEM	LENGTH
3900	MT 2
3902	MT 2.5
3904	MT 3
3906	MT 3.5
3908	MT 4

ITEM	LENGTH
3910	MT 4.5
3912	MT 5
3914	MT 5.5
3916	MT 6



SCRAPER

ITEM	
3930	MM 300 X 150 X 1.2



STEEL RAKE

ITEM	
3935	MT 1.5 HANDLE - MM 500 X 100 X 1.5 BLADE



WATER BROOM

ITEM	
3940	FROM MT. 0.60
3945	FROM MT. 1
3950	FROM MT. 2



PAVEMENT JOINT

ITEM	
3960	15 MM EDGE

ITEM	
3965	25 MM EDGE



ROUND EDGE

ITEM	
3967	MM 160 X 80



STEP PROFILE

ITEM	
3970	MM 150 X 70

ITEM	
3975	MM 200 X 100



RAMP JOINT

ITEM	
3980	7 TEETH

ITEM	
3985	9 TEETH

HAND TROWEL



ITEM	WITH WOODEN HANDLE
4000	AMERICAN TYPE 14"X4"x0.65 MM
4005	MM 360 x 120 x 0.6
4010	MM 360 x 100 x 0.8



ITEM	WITH PLASTIC HANDLE
4020	MM 300 x 100 x 0.8
4025	MM 360 x 100 x 0.8



ITEM	
4030	MM 360 X 120 X1



ITEM	
4035	MM 400 X1



ITEM	
4040	MM 400 X1



MORTAR SPREADER



ITEM	
4045	MM 600 - 1.60 METER WOODEN HANDLE

ALUMINUM RAKE



ITEM	
4047	1.60 WOODEN HANDLE - MM 500 X 125 X 3 BLADE

ACCESSORIES

Ø 600 FLOATING DISK WITH BLOCKING PIN



ITEM	APPLICATION / MODEL	NOTE
4100	MOSKITO 60 FOR FLOATING	DIS. 732

Ø 600 FLOATING DISK WITH 4 JOINTS



ITEM	APPLICATION / MODEL	NOTE
4105	MOSKITO 60 - 4 BLADES	DIS. 927

Ø 600 FLOATING DISK WITH 2 JOINTS



ITEM	APPLICATION / MODEL	NOTE
4110	MOSKITO 60 - 6 BLADES	DIS. 927

Ø 750 FLOATING DISK WITH 2 JOINTS



ITEM	APPLICATION / MODEL	NOTE
4115	MOSKITO 75 - BOTH 4 AND 6 BLADES	DIS. 1133

Ø 900 FLOATING DISK



ITEM	APPLICATION / MODEL	NOTE
4120	4 -90 MK8 - 90 MK8 - 90 HCS	DIS. 196

Ø 1200 FLOATING DISK



ITEM	APPLICATION / MODEL	NOTE
4125	4 - 120 MK8 - 120 MK8 - 120 HCS	DIS. 1188



FLOATING BLADE WITH SAFETY TONGUE

HARD STEEL
HARD STEEL

ITEM	APPLICATION / MODEL	THICK	NOTE
4150 (DX)	4-90 / OL 90 / MK8 - 90	MM 3	DIS. 530
4155 (SX)	OL 90 / MK8 - 90	MM 3	DIS. 531
4160 (DX)	4 -120 / OL 120 / MK8 - 120	MM 3	DIS. 156
4165 (SX)	OL 120 / MK8 - 120	MM 3	DIS. 169
4170 (DX)	4 -120 / OL 120 / MK8 - 120	MM 3	DIS. 1310
4175 (SX)	OL 120 / MK8 - 120	MM 3	DIS. 1311
4180 (DX)	4 -120 / OL 120 / MK8 - 120	MM 4	DIS. 1308
4185 (SX)	OL 120 / MK8 - 120	MM 4	DIS. 1309



FINISHING BLADE

ITEM	APPLICATION / MODEL	NOTE
4200	MOSKITO 60 - 4 BLADES	DIS. 875
4205	MOSKITO 60 - 6 BLADES	DIS. 1108
4210	MOSKITO 60 - 6 BLADES (OLD TYPE)	DIS. 675
4215	MOSKITO 75 - 4 BLADES	DIS. 1155
4220	MOSKITO 75 - 6 BLADES	DIS. 1127
4225	4 -90 / OL 90	DIS. 522
4230	4 -120	DIS. 331
4235	OL 120 / MK8 - 120	DIS. 162
4240	MK8 - 90	DIS. 605



COMBINATION BLADE

ITEM	APPLICATION / MODEL	NOTE
4250	4 -90 / OL 90	DIS. 534
4255	4 -120	DIS. 360
4260	OL 120 / MK8 - 120	DIS. 193
4265	MK8 - 90	DIS. 647

TROWELS AND BLADES, 4 PIECES PER PACKAGE

ENGINES

ITEM	ENGINE	POWER HP/CV	POWER SOURCE	START-UP	Ø SHAFT
4300	HONDA GX 120 K1	4	GASOLINE	MANUAL	19.05 mm (3/4")
4305	HONDA GX 160 K1	5.5		MANUAL	19.05 mm (3/4")
4310	HONDA GX 270	9		MANUAL	25.4 mm (1")
4315	HONDA GX 340 K1	11		MANUAL	25.4 mm (1")
4320	HONDA GX 390 K1	13		MANUAL	25.4 mm (1")
4325	HONDA GX 620 K1	20		ELECTRIC	25.4 mm (1")
4330	HONDA GX 670	24		ELECTRIC	28.6 mm (1 1/8")
4340	ROBIN EY 15	3.5	GASOLINE	MANUAL	19.05 mm (3/4")
4345	ROBIN EY 20	5		MANUAL	19.05 mm (3/4")
4350	ROBIN EX 17	6		MANUAL	19.05 mm (3/4")
4355	ROBIN EX 21	7		MANUAL	25.4 mm (1")
4360	ROBIN EX 27	9		MANUAL	25.4 mm (1")
4365	ROBIN EH 63	18		ELECTRIC	25.4 mm (1")
4375	KOHLER TH	18	GASOLINE	ELECTRIC/MANUAL	25.4 mm (1")
4380	KOHLER CH 20	20		ELECTRIC	36.5 mm (1 7/16")
4385	KOHLER CH 25	25		ELECTRIC	36.5 mm (1 7/16")
4390	KOHLER CH 27	27		ELECTRIC	36.5 mm (1 7/16")
4400	B&S VANGUARD 14 HP	14	GASOLINE	MANUAL	25.4 mm (1")
4405	B&S VANGUARD 18 HP	18		ELECTRIC/MANUAL	25.4 mm (1")
4410	B&S VANGUARD 18 HP	18		MANUAL	25.4 mm (1")
4420	ACME ACT 340	11	GASOLINE	MANUAL	CONICAL Ø 23 mm
4430	LOMBARDINI 15 LD 350	7.5	DIESEL	MANUAL	CONICAL Ø 23 mm
4435	LOMBARDINI 15 LD 400	10		MANUAL	CONICAL Ø 23 mm
4440	LOMBARDINI 12 LD 435-2	18		ELECTRIC	36.5 mm (1 7/16")
4445	LOMBARDINI 9 LD 626-2	28		ELECTRIC	38.1 mm (1 1/2")
4455	HATZ 1B20	4.6	DIESEL	MANUAL	CONICAL Ø 23 mm
4460	HATZ 1B30	7		MANUAL	CONICAL Ø 23 mm
4465	HATZ 1B40	10		MANUAL	25.4 mm (1")
4475	RUGGERINI MD 191	19.5	DIESEL	ELECTRIC	CONICAL Ø 30 mm

HONDA



ROBIN



KOHLER



B&S VANGUARD



ACME



LOMBARDINI



HATZ



RUGGERINI